

Installation serverside

Supported distributions / dependencies

Supported are: RHEL5, RHEL6, SLES10, SLES11, Debian 5, Debian 6, Ubuntu 8.04, Ubuntu 10.04, Ubuntu 12.04

Supported in bundles with Univention, Collax, Zentyal

Dependencies: MySQL, Apache, PHP

Libraries: libicu (UTF-8), libvmime, libical

Installation

```

Datei Bearbeiten Ansicht Terminal Reiter Hilfe
Richte libvmime0 ein (0.7.1-22) ...
Richte libical0 ein (0.23-6) ...
Richte zarafa ein (6.20.1-13464) ...
Starting Zarafa server: zarafa-server.
Starting Zarafa spooler: zarafa-spooler.
Starting Zarafa gateway: zarafa-gateway.
Starting Zarafa monitor: zarafa-monitor.
Starting Zarafa ical gateway: zarafa-ical.

Richte zarafa-webaccess ein (6.20.1-13464) ...
Richte zarafa-licensed ein (6.20.1-13464) ...
Starting Zarafa licensed: zarafa-licensed.

Restarting Apache to load the Zarafa PHP-extension.
Forcing reload of web server (apache2)... waiting .

Installation of the software is complete.
We will now configure Zarafa services.

Please answer the following questions:

Serial number must be 24 characters or empty
Server serial number (leave empty for none) [] : █

```

Make sure your MySQL is running

Use the install.sh script

MySQL: root:zarafa

Don't insert license

Use standard values

Default: not tuned at all!

Basic setup / locales

Locales can be configured in:

`/etc/sysconfig/zarafa` for Red Hat and SuSE

`/etc/default/zarafa` for Debian and Ubuntu

`ZARAFADA_LOCALE`: run server in specified language and have public folder names in right language

`ZARAFADA_USERSCRIPT_LOCALE`: create mailboxes in right language

Hints:

Debian: `dpkg-reconfigure locales`

Find right value to set: locale → cut&paste

For ZCP 7.0 it could be required to set the Apache locale to utf8.

zarafa-licensed & subscription keys

ZCP can run in 3 edition-modes:

- OpenSource (zarafa-licensed not running)

- Free (no or wrong serial in running zarafa-licensed)

- Supported mode

Put in `/etc/zarafa/license/base` the following serial:

```
Z149G06949G92C5R4E0GDUVJ6 – 7.00
```

```
(echo 'subscription key' > /etc/zarafa/license/base)
```

Restart licensed to enable commercial features

Check status in `/var/log/zarafa/licensed` file